

Date

Reference

2024-02-02

2022/2421

Scope of accreditation

Testing according to SS-EN ISO/IEC 17025:2018

ALS Scandinavia AB

Luleå

Accreditation number

2030

Luleå

A003219-004

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
	Standard practice for preparation of metallographic specimens	ISO 11464			Yes	2	No		
Inorganic chemistry	Aluminium, Al	SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Drinking water	Yes	2	No		
			ICP-AES	Fresh water	Yes	2	No		
			ICP-AES	Sea water	Yes	2	No		
			SS-EN ISO 11885/EPA Method 200.7/SS 028150	ICP-AES	Waste water/Leach water	Yes	2	No	
			SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385	ICP-AES	Absorbent solution	Yes	2	No	
			SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
		ICP-SFMS		Drinking water	Yes	2	No		
		ICP-SFMS		Fresh water	Yes	2	No		
		ICP-SFMS		Sea water	Yes	2	No		
		ICP-SFMS		Soil	Yes	2	No		
		ICP-SFMS	Waste water/Leach water	Yes	2	No			
		ICP-SFMS	Water	Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Aluminium, Al	SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Lime	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
			ICP-SFMS	Waste water/Leach water	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS EN 14385	ICP-SFMS	Absorbent solution	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No		
			ICP-SFMS	Biological materials/biota	Yes	2	No		
			ICP-SFMS	Food	Yes	2	No		
			ICP-SFMS	Nutritional Supplements	Yes	2	No		
			ICP-SFMS	Paper	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>		
Inorganic chemistry	Aluminium, Al	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No			
			ICP-SFMS	Building materials	Yes	2	No			
			ICP-SFMS	Sludges/sediments	Yes	2	No			
			ICP-SFMS	Soil	Yes	2	No			
			ICP-SFMS	Waste	Yes	2	No			
			SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Antimony, Sb	SS-EN ISO 17294-2/EPA Method 200.8		ICP-SFMS	Clinical samples	Yes	2	No		
				ICP-SFMS	Drinking water	Yes	2	No		
				ICP-SFMS	Fresh water	Yes	2	No		
				ICP-SFMS	Sea water	Yes	2	No		
				ICP-SFMS	Waste water/Leach water	Yes	2	No		
				ICP-SFMS	Water	Yes	2	No		
				SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS EN 14385		ICP-SFMS	Absorbent solution	Yes	2	No		
				ICP-SFMS	Filter	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod			ICP-SFMS	Ash	Yes	2	No	
					ICP-SFMS	Rock	Yes	2	No	
					ICP-SFMS	Sludges/sediments	Yes	2	No	
					ICP-SFMS	Soil	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Antimony, Sb	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
			ICP-SFMS	Paper	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 62321-5, mod	ICP-SFMS	Plastic materials	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
	SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Waste	Yes	2	No		
	Arsenic, As	SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Polymers	Yes	2	No	
			ICP-AES	Drinking water	Yes	2	No	
			ICP-AES	Fresh water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS 028150	ICP-AES	Sea water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385	ICP-AES	Waste water/Leach water	Yes	2	No	
	ICP-AES	Absorbent solution	Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Arsenic, As	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Lime	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS EN 14385	ICP-SFMS	Absorbent solution	Yes	2	No	
			ICP-SFMS	Filter	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
			ICP-SFMS	Paper	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Arsenic, As	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 62321-5, mod	ICP-SFMS	Plastic materials	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste	Yes	2	No	
	SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Arsenic, inorganic, iAs	SS-EN 16802	HPLC-ICP-MS	Food	Yes	2	No	
	Barium, Ba	SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Drinking water	Yes	2	No	
			ICP-AES	Fresh water	Yes	2	No	
			ICP-AES	Sea water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS 028150	ICP-AES	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385	ICP-AES	Absorbent solution	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
	ICP-SFMS		Soil	Yes	2	No		
	ICP-SFMS		Waste water/Leach water	Yes	2	No		
	ICP-SFMS	Water	Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Barium, Ba	SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Lime	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
			ICP-SFMS	Waste water/Leach water	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS EN 14385	ICP-SFMS	Absorbent solution	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No		
			ICP-SFMS	Biological materials/biota	Yes	2	No		
			ICP-SFMS	Food	Yes	2	No		
			ICP-SFMS	Nutritional Supplements	Yes	2	No		
			ICP-SFMS	Paper	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>		
Inorganic chemistry	Barium, Ba	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No			
			ICP-SFMS	Building materials	Yes	2	No			
			ICP-SFMS	Sludges/sediments	Yes	2	No			
			ICP-SFMS	Soil	Yes	2	No			
			ICP-SFMS	Waste	Yes	2	No			
			SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Beryllium, Be	SS-EN ISO 17294-2/EPA Method 200.8		ICP-SFMS	Clinical samples	Yes	2	No		
				ICP-SFMS	Drinking water	Yes	2	No		
				ICP-SFMS	Fresh water	Yes	2	No		
				ICP-SFMS	Sea water	Yes	2	No		
				ICP-SFMS	Soil	Yes	2	No		
				ICP-SFMS	Waste water/Leach water	Yes	2	No		
				ICP-SFMS	Water	Yes	2	No		
			SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680		ICP-SFMS	Ash	Yes	2	No	
		ICP-SFMS			Building materials	Yes	2	No		
		ICP-SFMS			Rock	Yes	2	No		
		ICP-SFMS			Sludges/sediments	Yes	2	No		
			SS-EN ISO 17294-2/EPA Method 200.8/SS 028150		ICP-SFMS	Lime	Yes	2	No	
		ICP-SFMS			Sludges/sediments	Yes	2	No		
		ICP-SFMS			Soil	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Beryllium, Be	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No	
	Bismut, Bi	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Bismut, Bi	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
		Boron, B	SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Drinking water	Yes	2	No	
				ICP-AES	Fresh water	Yes	2	No	
				ICP-AES	Sea water	Yes	2	No	
	SS-EN ISO 11885/EPA Method 200.7/SS 028150		ICP-AES	Waste water/Leach water	Yes	2	No		
	SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385		ICP-AES	Absorbent solution	Yes	2	No		
	SS-EN ISO 17294-2/EPA Method 200.8		ICP-SFMS	Clinical samples	Yes	2	No		
			ICP-SFMS	Drinking water	Yes	2	No		
			ICP-SFMS	Fresh water	Yes	2	No		
		ICP-SFMS	Sea water	Yes	2	No			
		ICP-SFMS	Soil	Yes	2	No			
		ICP-SFMS	Waste water/Leach water	Yes	2	No			
	ICP-SFMS	Water	Yes	2	No				

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Boron, B	SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Lime	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
			ICP-SFMS	Paper	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
	ICP-SFMS		Soil	Yes	2	No		
	SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Waste	Yes	2	No		
		ICP-SFMS	Polymers	Yes	2	No		
		SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Drinking water	Yes	2	No	
			ICP-AES	Fresh water	Yes	2	No	
ICP-AES	Sea water		Yes	2	No			
Cadmium, Cd	SS-EN ISO 11885/EPA Method 200.7/SS 028150	ICP-AES	Waste water/Leach water	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Cadmium, Cd	SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385	ICP-AES	Absorbent solution	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No		
			ICP-SFMS	Drinking water	Yes	2	No		
			ICP-SFMS	Fresh water	Yes	2	No		
			ICP-SFMS	Sea water	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
			ICP-SFMS	Waste water/Leach water	Yes	2	No		
			ICP-SFMS	Water	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Lime	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS EN 14385	ICP-SFMS	Absorbent solution	Yes	2	No		
			ICP-SFMS	Filter	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
				ICP-SFMS	Soil	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Cadmium, Cd	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
			ICP-SFMS	Paper	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 62321-5, mod	ICP-SFMS	Plastic materials	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
	SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Calcium, Ca	SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Drinking water	Yes	2	No	
			ICP-AES	Fresh water	Yes	2	No	
			ICP-AES	Sea water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS 028150	ICP-AES	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385	ICP-AES	Absorbent solution	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Calcium, Ca	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Lime	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
ICP-SFMS	Paper		Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Calcium, Ca	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 62321-5, mod	ICP-SFMS	Plastic materials	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste	Yes	2	No	
	SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Cerium, Ce	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Cesium, Cs	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
			ICP-SFMS	Paper	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
				ICP-SFMS	Waste	Yes	2	No

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Cesium, Cs	SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No	
	Chromium, Cr	SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Drinking water	Yes	2	No	
			ICP-AES	Fresh water	Yes	2	No	
			ICP-AES	Sea water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS 028150	ICP-AES	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385	ICP-AES	Absorbent solution	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
	ICP-SFMS		Waste water/Leach water	Yes	2	No		
	SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Water	Yes	2	No		
		ICP-SFMS	Ash	Yes	2	No		
		ICP-SFMS	Building materials	Yes	2	No		
		ICP-SFMS	Rock	Yes	2	No		
		ICP-SFMS	Sludges/sediments	Yes	2	No		
		ICP-SFMS	Soil	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Chromium, Cr	SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Lime	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS EN 14385	ICP-SFMS	Absorbent solution	Yes	2	No	
			ICP-SFMS	Filter	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
		ICP-SFMS	Paper	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 62321-5, mod	ICP-SFMS	Plastic materials	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
ICP-SFMS	Soil		Yes	2	No			
ICP-SFMS	Waste		Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Chromium, Cr	SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No	
	Cobalt, Co	SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Drinking water	Yes	2	No	
			ICP-AES	Fresh water	Yes	2	No	
			ICP-AES	Sea water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS 028150	ICP-AES	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385	ICP-AES	Absorbent solution	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Lime	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
ICP-SFMS	Soil		Yes	2	No			
ICP-SFMS	Waste water/Leach water		Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Cobalt, Co	SS-EN ISO 17294-2/EPA Method 200.8/SS EN 14385	ICP-SFMS	Absorbent solution	Yes	2	No	
			ICP-SFMS	Filter	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
			ICP-SFMS	Paper	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 62321-5, mod	ICP-SFMS	Plastic materials	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No	
	Copper, Cu	SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Drinking water	Yes	2	No	
			ICP-AES	Fresh water	Yes	2	No	
			ICP-AES	Sea water	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Copper, Cu	SS-EN ISO 11885/EPA Method 200.7/SS 028150	ICP-AES	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385	ICP-AES	Absorbent solution	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Lime	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS EN 14385	ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Filter	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Absorbent solution	Yes	2	No	
			ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
		ICP-SFMS	Soil	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Copper, Cu	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
			ICP-SFMS	Paper	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 62321-5, mod	ICP-SFMS	Plastic materials	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
	ICP-SFMS	Waste	Yes	2	No			
	SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Dimethylarsinic acid (DMA)	SS-EN 16802	HPLC-ICP-MS	Food	Yes	2	No	
	Dysprosium, Dy	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
ICP-SFMS			Waste water/Leach water	Yes	2	No		
ICP-SFMS			Water	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>		
Inorganic chemistry	Dysprosium, Dy	SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No			
			ICP-SFMS	Rock	Yes	2	No			
			ICP-SFMS	Sludges/sediments	Yes	2	No			
			ICP-SFMS	Soil	Yes	2	No			
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No			
			ICP-SFMS	Rock	Yes	2	No			
			ICP-SFMS	Sludges/sediments	Yes	2	No			
			ICP-SFMS	Soil	Yes	2	No			
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No			
			ICP-SFMS	Building materials	Yes	2	No			
			ICP-SFMS	Sludges/sediments	Yes	2	No			
			ICP-SFMS	Soil	Yes	2	No			
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Waste	Yes	2	No			
			ICP-SFMS	Polymers	Yes	2	No			
			Erbium, Er	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
					ICP-SFMS	Drinking water	Yes	2	No	
	ICP-SFMS	Fresh water			Yes	2	No			
	ICP-SFMS	Sea water			Yes	2	No			
	ICP-SFMS	Waste water/Leach water			Yes	2	No			
	ICP-SFMS	Water			Yes	2	No			
	SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No				
		ICP-SFMS	Rock	Yes	2	No				
		ICP-SFMS	Sludges/sediments	Yes	2	No				
		ICP-SFMS	Soil	Yes	2	No				

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Erbium, Er	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
		Europium, Eu	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
				ICP-SFMS	Drinking water	Yes	2	No	
				ICP-SFMS	Fresh water	Yes	2	No	
				ICP-SFMS	Sea water	Yes	2	No	
	ICP-SFMS			Waste water/Leach water	Yes	2	No		
	ICP-SFMS			Water	Yes	2	No		
	SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680		ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod		ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>		
Inorganic chemistry	Europium, Eu	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No			
			ICP-SFMS	Building materials	Yes	2	No			
			ICP-SFMS	Sludges/sediments	Yes	2	No			
			ICP-SFMS	Soil	Yes	2	No			
			ICP-SFMS	Waste	Yes	2	No			
			SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Gadolinium, Gd	SS-EN ISO 17294-2/EPA Method 200.8		ICP-SFMS	Clinical samples	Yes	2	No		
				ICP-SFMS	Drinking water	Yes	2	No		
				ICP-SFMS	Fresh water	Yes	2	No		
				ICP-SFMS	Sea water	Yes	2	No		
				ICP-SFMS	Waste water/Leach water	Yes	2	No		
				ICP-SFMS	Water	Yes	2	No		
			SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680		ICP-SFMS	Ash	Yes	2	No	
				ICP-SFMS	Rock	Yes	2	No		
				ICP-SFMS	Sludges/sediments	Yes	2	No		
				ICP-SFMS	Soil	Yes	2	No		
			SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod		ICP-SFMS	Ash	Yes	2	No	
				ICP-SFMS	Rock	Yes	2	No		
				ICP-SFMS	Sludges/sediments	Yes	2	No		
				ICP-SFMS	Soil	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>		
Inorganic chemistry	Gadolinium, Gd	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No			
			ICP-SFMS	Building materials	Yes	2	No			
			ICP-SFMS	Sludges/sediments	Yes	2	No			
			ICP-SFMS	Soil	Yes	2	No			
			ICP-SFMS	Waste	Yes	2	No			
			SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Gallium, Ga	SS-EN ISO 17294-2/EPA Method 200.8		ICP-SFMS	Clinical samples	Yes	2	No		
				ICP-SFMS	Drinking water	Yes	2	No		
				ICP-SFMS	Fresh water	Yes	2	No		
				ICP-SFMS	Sea water	Yes	2	No		
				ICP-SFMS	Waste water/Leach water	Yes	2	No		
				ICP-SFMS	Water	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680			ICP-SFMS	Ash	Yes	2	No	
					ICP-SFMS	Rock	Yes	2	No	
					ICP-SFMS	Sludges/sediments	Yes	2	No	
					ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod			ICP-SFMS	Ash	Yes	2	No	
					ICP-SFMS	Rock	Yes	2	No	
					ICP-SFMS	Sludges/sediments	Yes	2	No	
					ICP-SFMS	Soil	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Gallium, Ga	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
			ICP-SFMS	Waste	Yes	2	No		
			SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No	
	Germanium, Ge	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No		
			ICP-SFMS	Drinking water	Yes	2	No		
			ICP-SFMS	Fresh water	Yes	2	No		
			ICP-SFMS	Sea water	Yes	2	No		
			ICP-SFMS	Waste water/Leach water	Yes	2	No		
			ICP-SFMS	Water	Yes	2	No		
			SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No	
	Gold, Au	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No		
			ICP-SFMS	Drinking water	Yes	2	No		
			ICP-SFMS	Fresh water	Yes	2	No		
			ICP-SFMS	Sea water	Yes	2	No		
			ICP-SFMS	Waste water/Leach water	Yes	2	No		
			ICP-SFMS	Water	Yes	2	No		
			SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
ICP-SFMS		Rock		Yes	2	No			
ICP-SFMS		Sludges/sediments		Yes	2	No			
ICP-SFMS		Soil		Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>		
Inorganic chemistry	Gold, Au	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No			
			ICP-SFMS	Building materials	Yes	2	No			
			ICP-SFMS	Sludges/sediments	Yes	2	No			
			ICP-SFMS	Soil	Yes	2	No			
			ICP-SFMS	Waste	Yes	2	No			
			SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Hafnium, Hf	SS-EN ISO 17294-2/EPA Method 200.8		ICP-SFMS	Clinical samples	Yes	2	No		
				ICP-SFMS	Drinking water	Yes	2	No		
				ICP-SFMS	Fresh water	Yes	2	No		
				ICP-SFMS	Sea water	Yes	2	No		
				ICP-SFMS	Waste water/Leach water	Yes	2	No		
				ICP-SFMS	Water	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680			ICP-SFMS	Ash	Yes	2	No	
					ICP-SFMS	Rock	Yes	2	No	
					ICP-SFMS	Sludges/sediments	Yes	2	No	
					ICP-SFMS	Soil	Yes	2	No	
				SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No	
		Hexavalent chromium	SS-EN ISO 17294-2/EPA Method 200.8/ISO 15192		ICP-SFMS	Building materials	Yes	2	No	
					ICP-SFMS	Sludges/sediments	Yes	2	No	
	ICP-SFMS				Soil	Yes	2	No		
ICP-SFMS	Waste				Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Holmium, Ho	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No		
			ICP-SFMS	Drinking water	Yes	2	No		
			ICP-SFMS	Fresh water	Yes	2	No		
			ICP-SFMS	Sea water	Yes	2	No		
			ICP-SFMS	Waste water/Leach water	Yes	2	No		
			ICP-SFMS	Water	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
			ICP-SFMS	Waste	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
		Iodine, I	In house method 60	ICP-SFMS	Clinical samples	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Iridium, Ir	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
	ICP-SFMS		Waste	Yes	2	No		
	SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Iron, Fe	SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Drinking water	Yes	2	No	
			ICP-AES	Fresh water	Yes	2	No	
			ICP-AES	Sea water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS 028150	ICP-AES	Waste water/Leach water	Yes	2	No	
SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385		ICP-AES	Absorbent solution	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Iron, Fe	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Lime	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS EN 14385	ICP-SFMS	Absorbent solution	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
ICP-SFMS	Soil		Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>		
Inorganic chemistry	Iron, Fe	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No			
			ICP-SFMS	Biological materials/biota	Yes	2	No			
			ICP-SFMS	Nutritional Supplements	Yes	2	No			
			ICP-SFMS	Paper	Yes	2	No			
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No			
			ICP-SFMS	Building materials	Yes	2	No			
			ICP-SFMS	Sludges/sediments	Yes	2	No			
			ICP-SFMS	Soil	Yes	2	No			
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Waste	Yes	2	No			
			ICP-SFMS	Polymers	Yes	2	No			
			Lanthanum, La	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
					ICP-SFMS	Drinking water	Yes	2	No	
	ICP-SFMS	Fresh water			Yes	2	No			
	ICP-SFMS	Sea water			Yes	2	No			
	ICP-SFMS	Waste water/Leach water			Yes	2	No			
	ICP-SFMS	Water			Yes	2	No			
	SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No				
		ICP-SFMS	Rock	Yes	2	No				
		ICP-SFMS	Sludges/sediments	Yes	2	No				
	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Soil	Yes	2	No				
		ICP-SFMS	Ash	Yes	2	No				
		ICP-SFMS	Rock	Yes	2	No				
		ICP-SFMS	Sludges/sediments	Yes	2	No				
				ICP-SFMS	Soil	Yes	2	No		
ICP-SFMS				Ash	Yes	2	No			
ICP-SFMS				Rock	Yes	2	No			
ICP-SFMS				Sludges/sediments	Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Lanthanum, La	SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No	
	Lead, Pb	SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Drinking water	Yes	2	No	
			ICP-AES	Fresh water	Yes	2	No	
			ICP-AES	Sea water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS 028150	ICP-AES	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385	ICP-AES	Absorbent solution	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Lime	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS EN 14385	ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Absorbent solution	Yes	2	No	
			ICP-SFMS	Filter	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Lead, Pb	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
			ICP-SFMS	Paper	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 62321-5, mod	ICP-SFMS	Plastic materials	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
	ICP-SFMS		Waste	Yes	2	No		
	SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Lithium, Li	SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Drinking water	Yes	2	No	
			ICP-AES	Fresh water	Yes	2	No	
			ICP-AES	Sea water	Yes	2	No	
SS-EN ISO 11885/EPA Method 200.7/SS 028150		ICP-AES	Waste water/Leach water	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Lithium, Li	SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385	ICP-AES	Absorbent solution	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Lime	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
			ICP-SFMS	Paper	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>		
Inorganic chemistry	Lithium, Li	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No			
			ICP-SFMS	Building materials	Yes	2	No			
			ICP-SFMS	Sludges/sediments	Yes	2	No			
			ICP-SFMS	Soil	Yes	2	No			
			ICP-SFMS	Waste	Yes	2	No			
			SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Lutetium, Lu	SS-EN ISO 17294-2/EPA Method 200.8		ICP-SFMS	Clinical samples	Yes	2	No		
				ICP-SFMS	Drinking water	Yes	2	No		
				ICP-SFMS	Fresh water	Yes	2	No		
				ICP-SFMS	Sea water	Yes	2	No		
				ICP-SFMS	Waste water/Leach water	Yes	2	No		
				ICP-SFMS	Water	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680			ICP-SFMS	Ash	Yes	2	No	
					ICP-SFMS	Rock	Yes	2	No	
					ICP-SFMS	Sludges/sediments	Yes	2	No	
					ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod			ICP-SFMS	Ash	Yes	2	No	
					ICP-SFMS	Rock	Yes	2	No	
					ICP-SFMS	Sludges/sediments	Yes	2	No	
					ICP-SFMS	Soil	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Lutetium, Lu	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
			ICP-SFMS	Waste	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Magnesium, Mg	SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Drinking water	Yes	2	No		
			ICP-AES	Fresh water	Yes	2	No		
			ICP-AES	Sea water	Yes	2	No		
			SS-EN ISO 11885/EPA Method 200.7/SS 028150	ICP-AES	Waste water/Leach water	Yes	2	No	
			SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385	ICP-AES	Absorbent solution	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No		
			ICP-SFMS	Drinking water	Yes	2	No		
			ICP-SFMS	Fresh water	Yes	2	No		
			ICP-SFMS	Sea water	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
			ICP-SFMS	Waste water/Leach water	Yes	2	No		
			ICP-SFMS	Water	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Magnesium, Mg	SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Lime	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No		
			ICP-SFMS	Biological materials/biota	Yes	2	No		
			ICP-SFMS	Food	Yes	2	No		
			ICP-SFMS	Nutritional Supplements	Yes	2	No		
			ICP-SFMS	Paper	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
	ICP-SFMS		Sludges/sediments	Yes	2	No			
	ICP-SFMS		Soil	Yes	2	No			
	ICP-SFMS		Waste	Yes	2	No			
	SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No			
	Manganese, Mn	In house method K05	ICP-SFMS	Biological materials/biota	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Manganese, Mn	SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Drinking water	Yes	2	No	
			ICP-AES	Fresh water	Yes	2	No	
			ICP-AES	Sea water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS 028150	ICP-AES	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385	ICP-AES	Absorbent solution	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Lime	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
ICP-SFMS	Waste water/Leach water		Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Manganese, Mn	SS-EN ISO 17294-2/EPA Method 200.8/SS EN 14385	ICP-SFMS	Absorbent solution	Yes	2	No	
			ICP-SFMS	Filter	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 62321-5, mod	ICP-SFMS	Paper	Yes	2	No	
			ICP-SFMS	Plastic materials	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No	
	Mercury, Hg	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Mercury, Hg	SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Lime	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
			ICP-SFMS	Waste water/Leach water	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No		
			ICP-SFMS	Biological materials/biota	Yes	2	No		
			ICP-SFMS	Food	Yes	2	No		
			ICP-SFMS	Nutritional Supplements	Yes	2	No		
			ICP-SFMS	Paper	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 62321-5, mod	ICP-SFMS	Plastic materials	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
			ICP-SFMS	Waste	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Mercury, Hg	SS-EN ISO 17852, mod	AFS	Ash	Yes	2	No		
			AFS	Drinking water	Yes	2	No		
			AFS	Fresh water	Yes	2	No		
			AFS	Sea water	Yes	2	No		
			AFS	Sludges/sediments	Yes	2	No		
			AFS	Soil	Yes	2	No		
			AFS	Waste water/Leach water	Yes	2	No		
		SS-EN ISO 17852, mod/SS-EN 13211	AFS	Absorbent solution	Yes	2	No		
		AFS	Filter	Yes	2	No			
	Methyl mercury	Inhouse method: GC-ICP-MS, Me-Hg biologiskt material/biological material	GC-ICP-MS	Biological materials/biota	Yes	2	No		
			Inhouse method: GC-ICP-MS, Me-Hg slam/sediment//sludge/sediment	GC-ICP-MS	Sludges/sediments	Yes	2	No	
				GC-ICP-MS	Soil	Yes	2	No	
		Inhouse method: GC-ICP-MS, Me-Hg vatten/water	GC-ICP-MS	Drinking water	Yes	2	No		
			GC-ICP-MS	Fresh water	Yes	2	No		
			GC-ICP-MS	Waste water/Leach water	Yes	2	No		
	Molybdenum, Mo	SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Drinking water	Yes	2	No		
			ICP-AES	Fresh water	Yes	2	No		
ICP-AES			Sea water	Yes	2	No			
SS-EN ISO 11885/EPA Method 200.7/SS 028150		ICP-AES	Waste water/Leach water	Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Molybdenum, Mo	SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385	ICP-AES	Absorbent solution	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Lime	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS EN 14385	ICP-SFMS	Absorbent solution	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
ICP-SFMS	Soil		Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Molybdenum, Mo	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
			ICP-SFMS	Paper	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Waste	Yes	2	No	
	Monomethylarsonic acid (MMA)	SS-EN 16802	HPLC-ICP-MS	Food	Yes	2	No	
	Neodymium, Nd	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
ICP-SFMS			Soil	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Neodymium, Nd	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
		Nickel, Ni	SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Drinking water	Yes	2	No	
				ICP-AES	Fresh water	Yes	2	No	
				ICP-AES	Sea water	Yes	2	No	
	SS-EN ISO 11885/EPA Method 200.7/SS 028150		ICP-AES	Waste water/Leach water	Yes	2	No		
	SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385		ICP-AES	Absorbent solution	Yes	2	No		
	SS-EN ISO 17294-2/EPA Method 200.8		ICP-SFMS	Clinical samples	Yes	2	No		
			ICP-SFMS	Drinking water	Yes	2	No		
			ICP-SFMS	Fresh water	Yes	2	No		
		ICP-SFMS	Sea water	Yes	2	No			
		ICP-SFMS	Soil	Yes	2	No			
		ICP-SFMS	Waste water/Leach water	Yes	2	No			
	ICP-SFMS	Water	Yes	2	No				

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Nickel, Ni	SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Lime	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS EN 14385	ICP-SFMS	Absorbent solution	Yes	2	No	
			ICP-SFMS	Filter	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
			ICP-SFMS	Paper	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 62321-5, mod	ICP-SFMS	Plastic materials	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>		
Inorganic chemistry	Nickel, Ni	SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No			
	Niob, Nb	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No			
			ICP-SFMS	Drinking water	Yes	2	No			
			ICP-SFMS	Fresh water	Yes	2	No			
			ICP-SFMS	Sea water	Yes	2	No			
			ICP-SFMS	Waste water/Leach water	Yes	2	No			
			ICP-SFMS	Water	Yes	2	No			
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No			
			ICP-SFMS	Building materials	Yes	2	No			
			ICP-SFMS	Rock	Yes	2	No			
			ICP-SFMS	Sludges/sediments	Yes	2	No			
			ICP-SFMS	Soil	Yes	2	No			
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No			
			ICP-SFMS	Rock	Yes	2	No			
			ICP-SFMS	Sludges/sediments	Yes	2	No			
			ICP-SFMS	Soil	Yes	2	No			
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No			
			Palladium, Pd	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
					ICP-SFMS	Drinking water	Yes	2	No	
	ICP-SFMS				Fresh water	Yes	2	No		
	ICP-SFMS				Sea water	Yes	2	No		
	ICP-SFMS				Waste water/Leach water	Yes	2	No		
	ICP-SFMS	Water			Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Palladium, Pd	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
		Phosphorus, P	SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Drinking water	Yes	2	No	
				ICP-AES	Fresh water	Yes	2	No	
				ICP-AES	Sea water	Yes	2	No	
	SS-EN ISO 11885/EPA Method 200.7/SS 028150		ICP-AES	Waste water/Leach water	Yes	2	No		
	SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385		ICP-AES	Absorbent solution	Yes	2	No		
	SS-EN ISO 17294-2/EPA Method 200.8		ICP-SFMS	Clinical samples	Yes	2	No		
			ICP-SFMS	Drinking water	Yes	2	No		
			ICP-SFMS	Fresh water	Yes	2	No		
		ICP-SFMS	Sea water	Yes	2	No			
		ICP-SFMS	Soil	Yes	2	No			
		ICP-SFMS	Waste water/Leach water	Yes	2	No			
	ICP-SFMS	Water	Yes	2	No				

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Phosphorus, P	SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Lime	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
			ICP-SFMS	Waste water/Leach water	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS EN 14385	ICP-SFMS	Absorbent solution	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No		
			ICP-SFMS	Biological materials/biota	Yes	2	No		
			ICP-SFMS	Food	Yes	2	No		
			ICP-SFMS	Nutritional Supplements	Yes	2	No		
			ICP-SFMS	Paper	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>		
Inorganic chemistry	Phosphorus, P	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No			
			ICP-SFMS	Building materials	Yes	2	No			
			ICP-SFMS	Sludges/sediments	Yes	2	No			
			ICP-SFMS	Soil	Yes	2	No			
			ICP-SFMS	Waste	Yes	2	No			
			SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Platinum, Pt	SS-EN ISO 17294-2/EPA Method 200.8		ICP-SFMS	Clinical samples	Yes	2	No		
				ICP-SFMS	Drinking water	Yes	2	No		
				ICP-SFMS	Fresh water	Yes	2	No		
				ICP-SFMS	Sea water	Yes	2	No		
				ICP-SFMS	Waste water/Leach water	Yes	2	No		
				ICP-SFMS	Water	Yes	2	No		
				SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
					ICP-SFMS	Rock	Yes	2	No	
					ICP-SFMS	Sludges/sediments	Yes	2	No	
					ICP-SFMS	Soil	Yes	2	No	
				SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
					ICP-SFMS	Building materials	Yes	2	No	
					ICP-SFMS	Sludges/sediments	Yes	2	No	
					ICP-SFMS	Soil	Yes	2	No	
			SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Waste	Yes	2	No		
		ICP-SFMS		Polymers	Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Potassium, K	SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Drinking water	Yes	2	No	
			ICP-AES	Fresh water	Yes	2	No	
			ICP-AES	Sea water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS 028150	ICP-AES	Sludges/sediments	Yes	2	No	
			ICP-AES	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385	ICP-AES	Absorbent solution	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
ICP-SFMS	Soil		Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Potassium, K	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No		
			ICP-SFMS	Biological materials/biota	Yes	2	No		
			ICP-SFMS	Food	Yes	2	No		
			ICP-SFMS	Nutritional Supplements	Yes	2	No		
			ICP-SFMS	Paper	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Waste	Yes	2	No		
		Praseodymium, Pr	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
				ICP-SFMS	Drinking water	Yes	2	No	
				ICP-SFMS	Fresh water	Yes	2	No	
	ICP-SFMS			Sea water	Yes	2	No		
	ICP-SFMS			Waste water/Leach water	Yes	2	No		
	ICP-SFMS			Water	Yes	2	No		
	SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680		ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Praseodymium, Pr	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
		Rhenium, Re	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
				ICP-SFMS	Drinking water	Yes	2	No	
				ICP-SFMS	Fresh water	Yes	2	No	
	ICP-SFMS			Sea water	Yes	2	No		
	ICP-SFMS			Waste water/Leach water	Yes	2	No		
	ICP-SFMS			Water	Yes	2	No		
	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod		ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>		
Inorganic chemistry	Rhenium, Re	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No			
			ICP-SFMS	Building materials	Yes	2	No			
			ICP-SFMS	Sludges/sediments	Yes	2	No			
			ICP-SFMS	Soil	Yes	2	No			
			ICP-SFMS	Waste	Yes	2	No			
			SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Rhodium, Rh	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No			
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No			
			ICP-SFMS	Rock	Yes	2	No			
			ICP-SFMS	Sludges/sediments	Yes	2	No			
			ICP-SFMS	Soil	Yes	2	No			
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No			
			ICP-SFMS	Building materials	Yes	2	No			
			ICP-SFMS	Sludges/sediments	Yes	2	No			
			ICP-SFMS	Soil	Yes	2	No			
			ICP-SFMS	Waste	Yes	2	No			
				SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Rubidium, Rb	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No		
			ICP-SFMS	Drinking water	Yes	2	No		
			ICP-SFMS	Fresh water	Yes	2	No		
			ICP-SFMS	Sea water	Yes	2	No		
			ICP-SFMS	Waste water/Leach water	Yes	2	No		
			ICP-SFMS	Water	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Lime	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No		
			ICP-SFMS	Biological materials/biota	Yes	2	No		
			ICP-SFMS	Food	Yes	2	No		
ICP-SFMS	Nutritional Supplements		Yes	2	No				
ICP-SFMS	Paper		Yes	2	No				

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>		
Inorganic chemistry	Rubidium, Rb	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No			
			ICP-SFMS	Building materials	Yes	2	No			
			ICP-SFMS	Sludges/sediments	Yes	2	No			
			ICP-SFMS	Soil	Yes	2	No			
			ICP-SFMS	Waste	Yes	2	No			
			SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Ruthenium, Ru	SS-EN ISO 17294-2/EPA Method 200.8		ICP-SFMS	Clinical samples	Yes	2	No		
				ICP-SFMS	Drinking water	Yes	2	No		
				ICP-SFMS	Fresh water	Yes	2	No		
				ICP-SFMS	Sea water	Yes	2	No		
				ICP-SFMS	Waste water/Leach water	Yes	2	No		
				ICP-SFMS	Water	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod			ICP-SFMS	Ash	Yes	2	No	
					ICP-SFMS	Rock	Yes	2	No	
					ICP-SFMS	Sludges/sediments	Yes	2	No	
					ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321			ICP-SFMS	Ash	Yes	2	No	
					ICP-SFMS	Building materials	Yes	2	No	
					ICP-SFMS	Sludges/sediments	Yes	2	No	
					ICP-SFMS	Soil	Yes	2	No	
				ICP-SFMS	Waste	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Samarium, Sm	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Scandium, Sc	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
	SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Selenium, Se	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
ICP-SFMS			Waste water/Leach water	Yes	2	No		
ICP-SFMS			Water	Yes	2	No		
SS-EN ISO 17294-2/EPA Method 200.8/SS 028150		ICP-SFMS	Waste water/Leach water	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Selenium, Se	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No		
			ICP-SFMS	Biological materials/biota	Yes	2	No		
			ICP-SFMS	Food	Yes	2	No		
			ICP-SFMS	Nutritional Supplements	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
			ICP-SFMS	Waste	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
		Silicon, Si	In house method K04	ICP-SFMS	Solid bio fuels	Yes	2	No	
			SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Drinking water	Yes	2	No	
	ICP-AES			Fresh water	Yes	2	No		
	ICP-AES			Sea water	Yes	2	No		
	SS-EN ISO 11885/EPA Method 200.7/SS 028150		ICP-AES	Waste water/Leach water	Yes	2	No		
	SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385		ICP-AES	Absorbent solution	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Silicon, Si	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
			ICP-SFMS	Paper	Yes	2	No	
	Silver, Ag	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
ICP-SFMS			Water	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Silver, Ag	SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Lime	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
			ICP-SFMS	Paper	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
	ICP-SFMS		Soil	Yes	2	No		
	ICP-SFMS		Waste	Yes	2	No		
	SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Sodium, Na	SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Drinking water	Yes	2	No	
			ICP-AES	Fresh water	Yes	2	No	
			ICP-AES	Sea water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS 028150	ICP-AES	Waste water/Leach water	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Sodium, Na	SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385	ICP-AES	Absorbent solution	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Lime	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Sodium, Na	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
			ICP-SFMS	Paper	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Waste	Yes	2	No	
	Strontium, Sr	SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Drinking water	Yes	2	No	
			ICP-AES	Fresh water	Yes	2	No	
			ICP-AES	Sea water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS 028150	ICP-AES	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385	ICP-AES	Absorbent solution	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Strontium, Sr	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Lime	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
ICP-SFMS	Paper		Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>		
Inorganic chemistry	Strontium, Sr	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No			
			ICP-SFMS	Building materials	Yes	2	No			
			ICP-SFMS	Sludges/sediments	Yes	2	No			
			ICP-SFMS	Soil	Yes	2	No			
			ICP-SFMS	Waste	Yes	2	No			
			SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Sulfur, S	SS-EN ISO 11885/EPA Method 200.7		ICP-AES	Drinking water	Yes	2	No		
				ICP-AES	Fresh water	Yes	2	No		
				ICP-AES	Sea water	Yes	2	No		
				SS-EN ISO 11885/EPA Method 200.7/SS 028150	ICP-AES	Waste water/Leach water	Yes	2	No	
				SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385	ICP-AES	Absorbent solution	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8			ICP-SFMS	Clinical samples	Yes	2	No	
					ICP-SFMS	Drinking water	Yes	2	No	
					ICP-SFMS	Fresh water	Yes	2	No	
					ICP-SFMS	Sea water	Yes	2	No	
					ICP-SFMS	Soil	Yes	2	No	
					ICP-SFMS	Waste water/Leach water	Yes	2	No	
					ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS 028150			ICP-SFMS	Lime	Yes	2	No	
					ICP-SFMS	Sludges/sediments	Yes	2	No	
ICP-SFMS					Soil	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Sulfur, S	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No		
			ICP-SFMS	Biological materials/biota	Yes	2	No		
			ICP-SFMS	Food	Yes	2	No		
			ICP-SFMS	Nutritional Supplements	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
			ICP-SFMS	Waste	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
		Tantalum, Ta	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
				ICP-SFMS	Drinking water	Yes	2	No	
	ICP-SFMS			Fresh water	Yes	2	No		
	ICP-SFMS			Sea water	Yes	2	No		
	ICP-SFMS			Waste water/Leach water	Yes	2	No		
	ICP-SFMS			Water	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Tantalum, Ta	SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No	
	Tellurium, Te	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste	Yes	2	No	
SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Terbium, Tb	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Thalium, Tl	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Lime	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS EN 14385	ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Absorbent solution	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS EN 14385	ICP-SFMS	Filter	Yes	2	No	
			SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No
		ICP-SFMS		Rock	Yes	2	No	
		ICP-SFMS		Sludges/sediments	Yes	2	No	
		ICP-SFMS		Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
ICP-SFMS	Paper		Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>		
Inorganic chemistry	Thalium, Tl	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No			
			ICP-SFMS	Building materials	Yes	2	No			
			ICP-SFMS	Sludges/sediments	Yes	2	No			
			ICP-SFMS	Soil	Yes	2	No			
			ICP-SFMS	Waste	Yes	2	No			
			SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Thorium, Th	SS-EN ISO 17294-2/EPA Method 200.8		ICP-SFMS	Clinical samples	Yes	2	No		
				ICP-SFMS	Drinking water	Yes	2	No		
				ICP-SFMS	Fresh water	Yes	2	No		
				ICP-SFMS	Sea water	Yes	2	No		
				ICP-SFMS	Waste water/Leach water	Yes	2	No		
				ICP-SFMS	Water	Yes	2	No		
			SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680		ICP-SFMS	Ash	Yes	2	No	
		ICP-SFMS			Rock	Yes	2	No		
		ICP-SFMS			Sludges/sediments	Yes	2	No		
		ICP-SFMS			Soil	Yes	2	No		
			SS-EN ISO 17294-2/EPA Method 200.8/SS 028150		ICP-SFMS	Waste water/Leach water	Yes	2	No	
			SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod		ICP-SFMS	Ash	Yes	2	No	
		ICP-SFMS			Rock	Yes	2	No		
		ICP-SFMS			Sludges/sediments	Yes	2	No		
ICP-SFMS		Soil			Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Thorium, Th	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No		
			ICP-SFMS	Biological materials/biota	Yes	2	No		
			ICP-SFMS	Food	Yes	2	No		
			ICP-SFMS	Nutritional Supplements	Yes	2	No		
			ICP-SFMS	Paper	Yes	2	No		
			SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No	
	Thorium-230	In house method 63	ICP-SFMS	Drinking water	Yes	2	No		
			ICP-SFMS	Fresh water	Yes	2	No		
			ICP-SFMS	Sea water	Yes	2	No		
			ICP-SFMS	Waste water/Leach water	Yes	2	No		
	Thorium-232	In house method 63	ICP-SFMS	Drinking water	Yes	2	No		
			ICP-SFMS	Fresh water	Yes	2	No		
			ICP-SFMS	Sea water	Yes	2	No		
			ICP-SFMS	Waste water/Leach water	Yes	2	No		
	Thulium, Tm	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No		
			ICP-SFMS	Drinking water	Yes	2	No		
			ICP-SFMS	Fresh water	Yes	2	No		
			ICP-SFMS	Sea water	Yes	2	No		
			ICP-SFMS	Waste water/Leach water	Yes	2	No		
			ICP-SFMS	Water	Yes	2	No		
			SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No	
				ICP-SFMS	Rock	Yes	2	No	
				ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Thulium, Tm	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
		Tin, Sn	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
				ICP-SFMS	Drinking water	Yes	2	No	
				ICP-SFMS	Fresh water	Yes	2	No	
				ICP-SFMS	Sea water	Yes	2	No	
				ICP-SFMS	Waste water/Leach water	Yes	2	No	
	ICP-SFMS			Water	Yes	2	No		
	SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680		ICP-SFMS	Ash	Yes	2	No		
	SS-EN ISO 17294-2/EPA Method 200.8/SS 028150		ICP-SFMS	Waste water/Leach water	Yes	2	No		
	SS-EN ISO 17294-2/EPA Method 200.8/SS EN 14385	ICP-SFMS	Absorbent solution	Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Tin, Sn	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 62321-5, mod	ICP-SFMS	Plastic materials	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Waste	Yes	2	No		
	SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Titanium, Ti	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
ICP-SFMS			Fresh water	Yes	2	No		
ICP-SFMS			Sea water	Yes	2	No		
ICP-SFMS			Waste water/Leach water	Yes	2	No		
ICP-SFMS			Water	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Titanium, Ti	SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
			ICP-SFMS	Paper	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No	
	Tungsten, W	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
ICP-SFMS			Water	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Tungsten, W	SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No	
	Uranium, U	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
ICP-SFMS			Soil	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Uranium, U	SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Lime	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No	
			ICP-SFMS	Biological materials/biota	Yes	2	No	
			ICP-SFMS	Food	Yes	2	No	
			ICP-SFMS	Nutritional Supplements	Yes	2	No	
			ICP-SFMS	Paper	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No	
	Uranium-234	In house method 63	ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Uranium-235	In house method 63	ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
	Uranium-238	In house method 63	ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
	Vanadium, V	SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Drinking water	Yes	2	No	
			ICP-AES	Fresh water	Yes	2	No	
			ICP-AES	Sea water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS 028150	ICP-AES	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385	ICP-AES	Absorbent solution	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
ICP-SFMS	Water	Yes	2	No				

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Vanadium, V	SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Lime	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS EN 14385	ICP-SFMS	Waste water/Leach water	Yes	2	No		
			ICP-SFMS	Absorbent solution	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS EN 14385	ICP-SFMS	Filter	Yes	2	No		
			SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
		ICP-SFMS		Rock	Yes	2	No		
		ICP-SFMS		Sludges/sediments	Yes	2	No		
		ICP-SFMS		Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No		
			ICP-SFMS	Biological materials/biota	Yes	2	No		
			ICP-SFMS	Food	Yes	2	No		
			ICP-SFMS	Nutritional Supplements	Yes	2	No		
ICP-SFMS	Paper		Yes	2	No				

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Vanadium, V	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
			ICP-SFMS	Waste	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No	
	Volume	SS-EN 14385		Absorbent solution	Yes	2	No	
	Ytterbium, Yb	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No	
			ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
	ICP-SFMS		Soil	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>		
Inorganic chemistry	Ytterbium, Yb	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No			
			ICP-SFMS	Building materials	Yes	2	No			
			ICP-SFMS	Sludges/sediments	Yes	2	No			
			ICP-SFMS	Soil	Yes	2	No			
			ICP-SFMS	Waste	Yes	2	No			
			SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Yttrium, Y	SS-EN ISO 17294-2/EPA Method 200.8		ICP-SFMS	Clinical samples	Yes	2	No		
				ICP-SFMS	Drinking water	Yes	2	No		
				ICP-SFMS	Fresh water	Yes	2	No		
				ICP-SFMS	Sea water	Yes	2	No		
				ICP-SFMS	Waste water/Leach water	Yes	2	No		
				ICP-SFMS	Water	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680			ICP-SFMS	Ash	Yes	2	No	
					ICP-SFMS	Building materials	Yes	2	No	
					ICP-SFMS	Rock	Yes	2	No	
					ICP-SFMS	Sludges/sediments	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod			ICP-SFMS	Ash	Yes	2	No	
					ICP-SFMS	Rock	Yes	2	No	
					ICP-SFMS	Sludges/sediments	Yes	2	No	
					ICP-SFMS	Soil	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Yttrium, Y	SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
			ICP-SFMS	Waste	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No		
	Zinc, Zn	SS-EN ISO 11885/EPA Method 200.7	ICP-AES	Drinking water	Yes	2	No		
			ICP-AES	Fresh water	Yes	2	No		
			ICP-AES	Sea water	Yes	2	No		
			SS-EN ISO 11885/EPA Method 200.7/SS 028150	ICP-AES	Waste water/Leach water	Yes	2	No	
			SS-EN ISO 11885/EPA Method 200.7/SS-EN 14385	ICP-AES	Absorbent solution	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Clinical samples	Yes	2	No		
			ICP-SFMS	Drinking water	Yes	2	No		
			ICP-SFMS	Fresh water	Yes	2	No		
			ICP-SFMS	Sea water	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
			ICP-SFMS	Waste water/Leach water	Yes	2	No		
ICP-SFMS			Water	Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Inorganic chemistry	Zinc, Zn	SS-EN ISO 17294-2/EPA Method 200.8/SS 028150	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Lime	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
			ICP-SFMS	Waste water/Leach water	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS EN 14385	ICP-SFMS	Absorbent solution	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13656, mod	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Rock	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 13805	ICP-SFMS	Biofuel	Yes	2	No		
			ICP-SFMS	Biological materials/biota	Yes	2	No		
			ICP-SFMS	Food	Yes	2	No		
			ICP-SFMS	Nutritional Supplements	Yes	2	No		
			ICP-SFMS	Paper	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN 62321-5, mod	ICP-SFMS	Plastic materials	Yes	2	No		
		SS-EN ISO 17294-2/EPA Method 200.8/SS-EN ISO 54321	ICP-SFMS	Ash	Yes	2	No		
			ICP-SFMS	Building materials	Yes	2	No		
			ICP-SFMS	Sludges/sediments	Yes	2	No		
			ICP-SFMS	Soil	Yes	2	No		
			ICP-SFMS	Waste	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Inorganic chemistry	Zinc, Zn	SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No	
			ICP-SFMS	Clinical samples	Yes	2	No	
	Zirconium, Zr	SS-EN ISO 17294-2/EPA Method 200.8	ICP-SFMS	Drinking water	Yes	2	No	
			ICP-SFMS	Fresh water	Yes	2	No	
			ICP-SFMS	Sea water	Yes	2	No	
			ICP-SFMS	Waste water/Leach water	Yes	2	No	
			ICP-SFMS	Water	Yes	2	No	
			ICP-SFMS	Ash	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Analytical Chemistry 50:679-680	ICP-SFMS	Building materials	Yes	2	No	
			ICP-SFMS	Rock	Yes	2	No	
			ICP-SFMS	Sludges/sediments	Yes	2	No	
			ICP-SFMS	Soil	Yes	2	No	
		SS-EN ISO 17294-2/EPA Method 200.8/Ultraclave	ICP-SFMS	Polymers	Yes	2	No	
	Leaching	Leaching, batch test	SS-EN 12457-1		Waste	Yes	2	No
SS-EN 12457-2				Waste	Yes	2	No	
SS-EN 12457-3				Waste	Yes	2	No	
SS-EN 12457-4				Waste	Yes	2	No	
Organic chemistry	Organotin compounds- Dibutyltin (DBT)	SS-EN ISO 17353	GC-ICP-MS	Drinking water	Yes	2	No	
			GC-ICP-MS	Fresh water	Yes	2	No	
			GC-ICP-MS	Sea water	Yes	2	No	
			GC-ICP-MS	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 23161	GC-ICP-MS	Sludges/sediments	Yes	2	No	
			GC-ICP-MS	Soil	Yes	2	No	

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>	
Organic chemistry	Organotin compounds- Diocetyl tin (DOT)	SS-EN ISO 17353	GC-ICP-MS	Drinking water	Yes	2	No		
			GC-ICP-MS	Fresh water	Yes	2	No		
			GC-ICP-MS	Sea water	Yes	2	No		
			GC-ICP-MS	Waste water/Leach water	Yes	2	No		
		SS-EN ISO 23161	GC-ICP-MS	Sludges/sediments	Yes	2	No		
			GC-ICP-MS	Soil	Yes	2	No		
		Organotin compounds- Diphenyltin (DPHT)	SS-EN ISO 17353	GC-ICP-MS	Drinking water	Yes	2	No	
				GC-ICP-MS	Fresh water	Yes	2	No	
	GC-ICP-MS			Sea water	Yes	2	No		
	GC-ICP-MS			Waste water/Leach water	Yes	2	No		
	SS-EN ISO 23161		GC-ICP-MS	Sludges/sediments	Yes	2	No		
			GC-ICP-MS	Soil	Yes	2	No		
	Organotin compounds- Monobutyl tin (MBT)	SS-EN ISO 17353	GC-ICP-MS	Drinking water	Yes	2	No		
			GC-ICP-MS	Fresh water	Yes	2	No		
			GC-ICP-MS	Sea water	Yes	2	No		
			GC-ICP-MS	Waste water/Leach water	Yes	2	No		
		SS-EN ISO 23161	GC-ICP-MS	Sludges/sediments	Yes	2	No		
			GC-ICP-MS	Soil	Yes	2	No		
	Organotin compounds- Monoocetyl tin	SS-EN ISO 17353	GC-ICP-MS	Drinking water	Yes	2	No		
			GC-ICP-MS	Fresh water	Yes	2	No		
GC-ICP-MS			Sea water	Yes	2	No			
GC-ICP-MS			Waste water/Leach water	Yes	2	No			
SS-EN ISO 23161		GC-ICP-MS	Sludges/sediments	Yes	2	No			
		GC-ICP-MS	Soil	Yes	2	No			

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Organic chemistry	Organotin compounds- Monophenyltin (MPHT)	SS-EN ISO 17353	GC-ICP-MS	Drinking water	Yes	2	No	
			GC-ICP-MS	Fresh water	Yes	2	No	
			GC-ICP-MS	Sea water	Yes	2	No	
			GC-ICP-MS	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 23161	GC-ICP-MS	Sludges/sediments	Yes	2	No	
			GC-ICP-MS	Soil	Yes	2	No	
	Organotin compounds- Tetrabutyl tin	SS-EN ISO 17353	GC-ICP-MS	Drinking water	Yes	2	No	
			GC-ICP-MS	Fresh water	Yes	2	No	
			GC-ICP-MS	Sea water	Yes	2	No	
			GC-ICP-MS	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 23161	GC-ICP-MS	Sludges/sediments	Yes	2	No	
			GC-ICP-MS	Soil	Yes	2	No	
	Organotin compounds- Tributyltin (TBT)	SS-EN ISO 17353	GC-ICP-MS	Drinking water	Yes	2	No	
			GC-ICP-MS	Fresh water	Yes	2	No	
			GC-ICP-MS	Sea water	Yes	2	No	
			GC-ICP-MS	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 23161	GC-ICP-MS	Sludges/sediments	Yes	2	No	
			GC-ICP-MS	Soil	Yes	2	No	
	Organotin compounds- Tricyclohexyltin	SS-EN ISO 17353	GC-ICP-MS	Drinking water	Yes	2	No	
			GC-ICP-MS	Fresh water	Yes	2	No	
GC-ICP-MS			Sea water	Yes	2	No		
GC-ICP-MS			Waste water/Leach water	Yes	2	No		
SS-EN ISO 23161		GC-ICP-MS	Sludges/sediments	Yes	2	No		
		GC-ICP-MS	Soil	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Organic chemistry	Organotin compounds- Triphenyltin (TPhT)	SS-EN ISO 17353	GC-ICP-MS	Drinking water	Yes	2	No	
			GC-ICP-MS	Fresh water	Yes	2	No	
			GC-ICP-MS	Sea water	Yes	2	No	
			GC-ICP-MS	Waste water/Leach water	Yes	2	No	
		SS-EN ISO 23161	GC-ICP-MS	Sludges/sediments	Yes	2	No	
			GC-ICP-MS	Soil	Yes	2	No	
Water analysis	Ash content	SS-EN ISO 18122	Gravimetry	Biofuel	Yes	2	No	
			Gravimetry	Biological materials/biota	Yes	2	No	
	Conductivity	SS-EN 27888	Electrode	Drinking water	Yes	2	No	
			Electrode	Fresh water	Yes	2	No	
			Electrode	Sea water	Yes	2	No	
			Electrode	Waste water/Leach water	Yes	2	No	
	Dry matter	In house method 39	Gravimetry	Sludges/sediments	Yes	2	No	
			Gravimetry	Soil	Yes	2	No	
		SS-EN 15934	Gravimetry	Sludges/sediments	Yes	2	No	
			Gravimetry	Soil	Yes	2	No	
	Loss on ignition	In house method IPS	Gravimetry	Ash	Yes	2	No	
	pH	SS-EN ISO 10523	Electrode	Drinking water	Yes	2	No	
			Electrode	Fresh water	Yes	2	No	
			Electrode	Sea water	Yes	2	No	
			Electrode	Waste water/Leach water	Yes	2	No	
	Residue of ignition	SS-EN 15935	Gravimetry	Sludges/sediments	Yes	2	No	
Gravimetry			Soil	Yes	2	No		

Date

Reference

2024-02-02

2022/2421

Chemical analysis

<i>Technical area</i>	<i>Parameter</i>	<i>Method</i>	<i>Technique</i>	<i>Material</i>	<i>Flex</i>	<i>Type of flex</i>	<i>Field</i>	<i>Note</i>
Water analysis	Suspended solids	SS-EN 872	Gravimetry	Drinking water	Yes	2	No	
			Gravimetry	Fresh water	Yes	2	No	
			Gravimetry	Sea water	Yes	2	No	
			Gravimetry	Waste water/Leach water	Yes	2	No	

Changes in the scope of accreditation are in bold.

The scope of accreditation is flexible as specified in this decision. The accredited body must always retain a current list of the scope for which it is accredited.

Type of flexible scope

- 1: - Introduce new version of standard method and make editorial changes to non-standard method
- 2: - Introduce new version of standard method and make editorial changes to non-standard method - Introduce new version and modifications of non-standard method. The procedure must be equivalent - Introduce new parameter/component/characteristics - Introduce new measurement range - Introduce new material/new products/matrices - Introduce new method equivalent to methods already in the accreditation decision